National Exams December 2017 98-Comp-B3, Data Bases & File Systems

3 hours duration

Notes:

- 1. If doubt exists as to the interpretation of any question, the candidate is urged to submit with the answer paper a clear statement of any assumption made.
- 2. This is a Closed Book exam. Candidates may use approved Casio or Sharp model calculator.
- 3. Answer five questions as follow:
 - a. One question from questions 1 and 2 (only one question will be marked)
 - b. One question from questions 3 and 4 (only one question will be marked)
 - c. Three questions from questions 5, 6, 7, and 8 (only three questions will be marked)
- 4. All questions are of equal value. The marking scheme is as follows:

Question 1: (a) 3 marks; (b) 3 marks; (c) 14 marks

Ouestion 2: (a) 3 marks; (b) 3 marks; (c) 14 marks

Question 3: 20 marks

Question 4: 20 marks

Question 5: (a) 5 marks; (b) 7 marks; (c) 8 marks

Question 6: (a) 5 marks; (b) 5 marks; (c) 10 marks

Question 7: (a) 3 marks; (b) 3 marks; (c) 10+4 = 14 marks

Question 8: (a) 6 marks; (b) 6 marks; (c) 8 marks

5. All answers should be clear, legible and brief.


Question 1

- a. Explain why a file can have only one clustered index?
- b. Explain why a secondary, unclustered index must be dense?
- c. Starting with an empty B+ tree with up to two keys per node; show how the tree grows when the following keys are inserted one after another:

Note that question 1(c) demands that you show a B+ tree for each insertion.

Question 2

- a. Explain the difference between an equality search and a range search.
- b. Does the final structure of a B+ tree depend on the order in which the items are added to it? Explain your answer.
- c. Draw a B+ tree that results from inserting alice, betty, carol, debbie, edith, and zelda into the index of the B+ tree below



Note: For this question you may just show the part of the diagram that changed as a result of the insertions. In addition, only one B+ tree is needed (i.e. the final B+ tree after insertions)

Question 3

Downtown Records has decided to store information about musicians who perform on its albums (as well as other company data) in a database. The company has wisely chosen to hire you as a database designer (at your usual consulting fee of \$3000/day). The following information describes the situation that the Downtown database must model.

- Each musician that records at Downtown has an SIN, a name, an address, and a phone number. Poorly paid musicians often share the same address, and no address has more than one phone.
- Each instrument used in songs recorded at Downtown has a unique identification number, a name (e.g., guitar, synthesizer, flute) and a musical key (e.g., C, B-flat, E-flat).
- Each album recorded on the Downtown label has a unique identification number, a title, a copyright date, a format (e.g., CD or MC), and an album identifier.
- Each song recorded at Downtown has a title and an author.
- Each musician may play several instruments, and a given instrument may be played by several musicians.
- Each album has a number of songs on it, but no song may appear on more than one album.
- Each song is performed by one or more musicians, and a musician may perform a number of songs.
- Each album has exactly one musician who acts as its producer. A musician may produce several albums, of course.

Design a conceptual schema for Downtown using an ER diagram. Be sure to indicate all key and cardinality constraints and any assumptions you make. Identify any constraints you are unable to capture in the ER diagram and briefly explain why you could not express them.

Question 4

Computer Engineering Department frequent fliers have been complaining to Toronto County Airport officials about the poor organization at the airport. As a result, the officials decided that all information related to the airport should be organized using a DBMS, and you have been hired to design the database. Your first task is to organize the information about all the airplanes stationed and maintained at the airport. The relevant information is as follows:

- Every airplane has a registration number, and each airplane is of a specific model.
- The airport accommodates a number of airplane models, and each model is identified by a model number (e.g., DC-10) and has a capacity and a weight.
- A number of technicians work at the airport. You need to store the name, SIN, address, phone number, and salary of each technician.
- Each technician is an expert on one or more plane model(s), and his or her expertise may overlap with that of other technicians. This information about technicians must also be recorded.
- Traffic controllers must have an annual medical examination. For each traffic controller, you must store the date of the most recent exam.

- All airport employees (including technicians) belong to a union. You must store the union membership number of each employee. You can assume that each employee is uniquely identified by a social security number (i.e. SIN).
- The airport has a number of tests that are used periodically to ensure that airplanes are still airworthy. Each test has a Federal Aviation Administration (FAA) test number, a name, and a maximum possible score.
- The FAA requires the airport to keep track of each time a given airplane is tested by a given technician using a given test. For each testing event, the information needed is the date, the number of hours the technician spent doing the test, and the score the airplane received on the test.

Draw an ER diagram for the airport database. Be sure to indicate the various attributes of each entity and relationship set; also specify the key and participation constraints for each relationship set.

Question 5

Suppose we have the following relations:

Employee(id, name, salary)
Manages(emp_id, mgr_id)
Department(id, deptNo)

The interpretations should be obvious. Employees have ID's (key), name and salary. Manages has a listing of the immediate manager for each employee (emp_id is the key). Department has a listing of id (key) and the corresponding deptNo. Each employee has one direct manager. In addition, all the mangers of an employee's manager also serve as a manager for that employee. Write the following queries in SQL.

- a. Find the ID's of all employees who work for department 10.
- b. Find the names and the salaries of all employees who make more money than their immediate managers.
- c. Find the name and the ID of the CEO of the company (the only person who doesn't have a manager).

Question 6

The following problems are based on the following "auction" database:

Bids(auctionID, bidder, price, quantity)

Auctions(auctionID, seller, item, quantity, expires)

Ratings(seller, stars)

where you may assume that in Bids, a bidder may place several bids for one auction, but all bids by one bidder will have different prices.

Write the following queries in Relational Algebra.

- a. Find all the bidders on auctions for item "Beanie Baby."
- b. Find all the sellers who have both 1-star and 5-star ratings.
- c. Find the highest price bid for any auction where the item is "Beanie Baby."

Question 7

- a. Define the term functional dependency.
- b. Why is it that some functional dependencies are called trivial?
- c. Consider a schema with the attribute set ABCDFG and the following functional dependencies (FDs): $AB \rightarrow CD$, $BC \rightarrow FG$, $A \rightarrow G$, $G \rightarrow B$, $C \rightarrow G$.
 - i. Find a minimal cover of this set of FDs.
 - ii. Is the decomposition of the previous schema into ABCD and CFG lossless?

Question 8

Assume that $\mathbf{w_i}(\mathbf{x})$ represents "transaction i writes x"; $\mathbf{r_i}(\mathbf{x})$ represents "transaction i reads x" and **commit**_i means that "transaction i has committed."

- a. Given below is a schedule that is produced by a non-strict two-phase locking concurrency control: $\mathbf{w}_1(\mathbf{x}) \mathbf{r}_2(\mathbf{x}) \mathbf{w}_2(\mathbf{x}) \mathbf{commit}_2 \mathbf{commit}_1$
 - (i) Is the schedule serializable and why?
 - (ii) Is the schedule in commit order and why?
- b. Give an example of a schedule at the READ COMMITTED isolation level in which a lost update occurs. Explain your example.
- c. What happens to the schedule below at a REPEATABLE READ isolation level? Explain your answer.

 $r_1(x) r_1(y) w_1(x) r_2(y) r_2(x) w_1(y) commit_2 commit_1$